

BEST AVAILABLE COPYListing of Claims:

1. (currently amended) A method for calibrating a biometric authentication device over time comprising the steps of:
obtaining an authenticating biometric value from an actual biometric measurement;
adaptably weighting the authenticating biometric value;
weighting the ~~authenticated~~ authenticating biometric ~~values~~ value to accommodate for known changes in a biometric marker; and
integrating and storing the adaptably weighted authenticating biometric value into an authenticating template stored in electronic form in a computerized device.
2. (original) The method of claim 1 wherein the step of obtaining an authenticated biometric value comprises determining that a measured biometric value falls within a predetermined range of biometric values.
3. (original) The method of claim 2 wherein the integration of the weighted value is accomplished by averaging the weighted value into the authenticating range of values.
4. (original) The method of claim 3 wherein the step of averaging the weighted value further comprises multiplying the authenticating measured value by a multiplier.

5. (canceled)

6. (original) The method of claim 1 wherein biometric value is adaptably weighted based upon consistent differences in authenticated measured biometric values.

7. (original) The method of claim 1 wherein biometric value is adaptably weighted based upon trends in measured authenticating biometric values.

8. (original) The method of claim 1 wherein biometric value is adaptably weighted based on the frequency of use of the biometric authentication device.

9. (original) The method of claim 1 wherein biometric value is adaptably weighted based on the number of uses of the biometric authentication device.

10. (original) The method of claim 1 wherein the authenticated biometric values are obtained by measuring histological biometric markers.

11. (original) The method of claim 1 wherein the authenticating biometric values are obtained measuring a physiological biometric marker.

12. (canceled)

13. (original) The method of claim 1 wherein the biometric values are univariate values.

14. (original) The method of claim 1 wherein the biometric values are multivariate values.

15. (original) The method of claim 1 wherein the biometric marker being measured is an internal biometric marker.

16. (currently amended) A device employing a biometric access system, said access system being adaptable to changes in a user's biometric over time, said device adapting to said changes by using the steps of:

obtaining an authenticating biometric value from an actual biometric measurement;

adaptably weighting the authenticating biometric value;

weighting the ~~authenticated~~ authenticating biometric ~~values~~ value to accommodate for known changes in a biometric marker; and

integrating and storing the adaptably weighted authenticating biometric value into an authenticating template stored in electronic form in a computerized device.

17. (currently amended) The device method of claim 16 wherein the step of obtaining an authenticated biometric value comprises determining that a measured biometric value falls within a predetermined range of biometric values.

18. (currently amended) The device method of claim 17 wherein the integration of the weighted value is accomplished by averaging the weighted value into the authenticating range of values.

19. (currently amended) The device method of claim 18 wherein the step of averaging the weighted value further comprises multiplying the authenticating measured value by a multiplier.

20. (currently amended) The device method of claim 16 wherein the biometric marker being measured is an internal biometric marker.

21. (canceled)

22. (currently amended) The device method of claim 16 wherein biometric value is adaptably weighted based upon consistent differences in authenticated measured biometric values.

23. (currently amended) The device ~~method~~ of claim 16 wherein biometric value is adaptably weighted based upon trends in measured authenticating biometric values.

24. (currently amended) The device ~~method~~ of claim 16 wherein biometric value is adaptably weighted based on the frequency of use of the biometric authentication device.

25. (currently amended) The device ~~method~~ of claim 16 wherein biometric value is adaptably weighted based on the number of uses of the biometric authentication device.

26. (currently amended) The device ~~method~~ of claim 16 wherein the authenticated biometric values are obtained by measuring histological biometric markers.

27. (currently amended) The device ~~method~~ of claim 16 wherein the authenticating biometric values are obtained measuring a physiological biometric marker.

28. (canceled)

29. (currently amended) The device method of claim 16 wherein the biometric values are univariate values.

30. (currently amended) The device method of claim 16 wherein the biometric values are multivariate values.

31. (currently amended) A computer readable medium containing instructions for controlling calibration of a biometric marker for use in a biometric authentication device, by:

obtaining an authenticating biometric value from an actual biometric measurement;

adaptably weighting the authenticating biometric value;

weighting the ~~authenticated~~ authenticating biometric values value to accommodate for known changes in a biometric marker; and

integrating and storing the weighted authenticating biometric value into an authenticating template stored in electronic form in a computerized device.

32. (currently amended) The computer readable medium method of claim 31 wherein the step of obtaining an authenticated biometric value comprises determining that a measured biometric value falls within a predetermined range of biometric values.

33. (currently amended) The computer readable medium ~~method~~ of claim 32 wherein the integration of the weighted value is accomplished by averaging the weighted value into the authenticating range of values.

34. (currently amended) The computer readable medium ~~method~~ of claim 33 wherein the step of averaging the weighted value further comprises multiplying the authenticating measured value by a multiplier.

35. (currently amended) The computer readable medium ~~method~~ of claim 31 wherein the biometric marker being measured is an internal biometric marker.

36. (canceled)

37. (currently amended) The computer readable medium ~~method~~ of claim 31 wherein biometric value is adaptably weighted based upon consistent differences in authenticated measured biometric values.

38. (currently amended) The computer readable medium ~~method~~ of claim 31 wherein biometric value is adaptably weighted based upon trends in measured authenticating biometric values.

39. (currently amended) The computer readable medium method of claim 31 wherein biometric value is adaptably weighted based on the frequency of use of the biometric authentication device.

40. (currently amended) The computer readable medium method of claim 31 wherein biometric value is adaptably weighted based on the number of uses of the biometric authentication device.

41. (currently amended) The computer readable medium method of claim 31 wherein the authenticated biometric values are obtained by measuring histological biometric markers.

42. (currently amended) The computer readable medium method of claim 31 wherein the authenticating biometric values are obtained measuring a physiological biometric marker.

43. (canceled)

44. (currently amended) The computer readable medium method of claim 31 wherein the biometric values are univariate values.

45. (currently amended) The computer readable medium method of claim 31 wherein the biometric values are multivariate values.

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☒ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.